# AP

## Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 03/08/2016

Revision: 03/08/2016

### **1** Identification

- · Product identifier
- · Trade name: E-Z POOL
- · Article number: No other identifiers

#### · Recommended use and restriction on use

- · Recommended use: Water treatment
- · Restrictions on use: See Sections 8 and 10 for further information.

#### • Details of the supplier of the Safety Data Sheet

 Manufacturer/Supplier: APi 880 Jupiter Park Drive, Suite 14 Jupiter, FL 33458 USA Phone: 561-743-0449

#### · Emergency telephone number:

ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585

## 2 Hazard(s) identification

#### · Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

## <sup>·</sup> Label elements

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



#### · Signal word: Danger

• Hazard-determining components of labeling: Trade Secret

• **Hazard statements:** H302 Harmful if swallowed. H315 Causes skin irritation.

(Cont'd. on page 2)



Printing date: 03/08/2016

Revision: 03/08/2016

Trade name: E-Z POOL

	(Cantild of none 4)
H318 Causes s	erious eye damage. (Cont'd. of page 1)
	e allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May caus	e an allergic skin reaction.
	e respiratory irritation.
Precautionary	statements:
P284	In case of inadequate ventilation wear respiratory protection.
P261	Avoid breathing dust.
P264	Wash thoroughly after handling.
P280	Wear protective gloves and eye protection.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P305+P351+P3	38 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330	Rinse mouth.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification	
Classification	
· NFPA ratings (	scale 0 - 4)
Heal	th = 3
Fire	= 1
Read	ctivity = 1
HMIS-ratings (	
niviio-ratings (	Scale 0 - 4)
HEALTH *3 Hea	alth = *3
FIRE 1 Fire	
REACTIVITY 1 Rea	
	-
* - Indicates a l	ong term health hazard from repeated or prolonged exposures.
Other hazard	<b>s</b> There are no other hazards not otherwise classified that have been identified.

(Cont'd. on page 3)



Printing date: 03/08/2016

Revision: 03/08/2016

Trade name: E-Z POOL

(Cont'd. of page 2)

•	sition/information on ingredients	
· Chemical characterization: Mixtures · Components:		
	Ox. Sol. 3, H272	
	Resp. Sens. 1, H334	
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317; STOT SE 3, H335	
	Trade Secret	
	📀 Eye Dam. 1, H318	
	Trade Secret	
	Acute Tox. 4, H302; Eye Irrit. 2A, H319	
	Trade Secret	
	() Acute Tox. 4, H302; Eye Irrit. 2A, H319	
	Trade Secret	
	Met. Corr.1, H290; Eye Dam. 1, H318	
	Trade Secret	
	Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
	ted ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret. ording of the listed Hazard Statements refer to section 16.	
First-ai	ording of the listed Hazard Statements refer to section 16.	
First-ai Descrip	ording of the listed Hazard Statements refer to section 16.	
First-ai Descrip General i Immediat	and ing of the listed Hazard Statements refer to section 16.	
First-ai Descript General i Immediat Symptom	and ing of the listed Hazard Statements refer to section 16.	
First-ai Descript General i Immediat Symptom hours afte	I measures ion of first aid measures information: ely remove any clothing soiled by the product. s of poisoning may even occur after several hours; therefore medical observation for at leas r the accident.	
First-ai Descript General i Immediat Symptom hours afte Take affe	In of first aid measures ion of first aid measures information: ely remove any clothing soiled by the product. is of poisoning may even occur after several hours; therefore medical observation for at lease r the accident. icted persons out into the fresh air.	
First-ai Descript General i Immediat Symptom hours afte Take affe After inh	In measures ion of first aid measures ion of first aid measures information: ely remove any clothing soiled by the product. is of poisoning may even occur after several hours; therefore medical observation for at lease r the accident. ited persons out into the fresh air. ilation:	
First-aid Descript General i Immediat Symptom hours afte Take affe After inh Supply free	and the listed Hazard Statements refer to section 16.	
First-ai Descript General i Immediat Symptom hours afte Take affe After inh Supply fre Seek imm	and the listed Hazard Statements refer to section 16.	
First-ai Descript General i Immediat Symptom hours afte Take affe After inh Supply fre Seek imm If experie	and the listed Hazard Statements refer to section 16.	
First-ai Descript General i Immediat Symptom hours afte Take affe After inh Supply fre Seek imm If experie After skii Brush off	A measures ion of first aid measures nformation: ely remove any clothing soiled by the product. s of poisoning may even occur after several hours; therefore medical observation for at lease r the accident. cted persons out into the fresh air. llation: sh air. ediate medical advice. hours respiratory symptoms: Call a POISON CENTER/doctor. ocntact: loose particles from skin.	
First-ai Descript General i Immediat Symptom hours afte Take affe After inh Supply fre Seek imm If experie After skin Brush off Immediat	A measures ion of first aid measures nformation: ely remove any clothing soiled by the product. s of poisoning may even occur after several hours; therefore medical observation for at leas r the accident. cted persons out into the fresh air. llation: sh air. ediate medical advice. hoing respiratory symptoms: Call a POISON CENTER/doctor. oose particles from skin. ely rinse with water.	
First-ai Descript General i Immediat Symptom hours afte Take affe After inh Supply fre Seek imm If experie After skin Brush off Immediat If skin irrit	and the listed Hazard Statements refer to section 16.	
First-ai Descript General i Immediat Symptom hours afte Take affe After inh Supply fre Seek imm If experie After skin Brush off Immediat If skin irrit After eye	and the listed Hazard Statements refer to section 16.	
First-ai Descript General i Immediat Symptom hours afte Take affe After inh Supply fre Seek imm If experie After skin Brush off Immediat If skin irrit After eye Protect u	In of first aid measures ion of first aid measures information: ely remove any clothing soiled by the product. is of poisoning may even occur after several hours; therefore medical observation for at lease r the accident. eted persons out into the fresh air. Ilation: sh air. ediate medical advice. horing respiratory symptoms: Call a POISON CENTER/doctor. i contact: oose particles from skin. ely rinse with water. ation continues, consult a doctor. contact: harmed eye.	
First-ai Descript General i Immediat Symptom hours afte Take affe After inh Supply fre Seek imm If experie After skin Brush off Immediat If skin irrit After eye Protect un Remove of	In of first aid measures ion of first aid measures information: ely remove any clothing soiled by the product. is of poisoning may even occur after several hours; therefore medical observation for at lease r the accident. eted persons out into the fresh air. Ilation: sh air. ediate medical advice. incing respiratory symptoms: Call a POISON CENTER/doctor. i contact: i oose particles from skin. ely rinse with water. ation continues, consult a doctor. contact: harmed eye. iontact lenses if worn.	
First-ai Descript General i Immediat Symptom hours afte Take affe After inh Supply fre Seek imm If experie After skin Brush off Immediat If skin irrit After eye Protect un Remove of Rinse ope	A measures ion of first aid measures information: ely remove any clothing soiled by the product. s of poisoning may even occur after several hours; therefore medical observation for at leas r the accident. cted persons out into the fresh air. lation: sh air. ediate medical advice. hoing respiratory symptoms: Call a POISON CENTER/doctor. contact: loose particles from skin. ely rinse with water. ation continues, consult a doctor. contact: harmed eye. contact lenses if worn. ned eye for several minutes under running water. Then consult a doctor.	
First-aid Descript General i Immediat Symptom hours afte Take affe After inh Supply fre Seek imm If experie After skin If skin irrit After eye Protect u Remove o Rinse ope After swa	A measures ion of first aid measures information: ely remove any clothing soiled by the product. s of poisoning may even occur after several hours; therefore medical observation for at leas r the accident. cted persons out into the fresh air. lation: sh air. ediate medical advice. hoing respiratory symptoms: Call a POISON CENTER/doctor. contact: loose particles from skin. ely rinse with water. ation continues, consult a doctor. contact: harmed eye. contact lenses if worn. ned eye for several minutes under running water. Then consult a doctor.	

Do not induce vomiting; immediately call for medical help.

(Cont'd. on page 4)



## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 03/08/2016

Revision: 03/08/2016

Trade name: E-Z POOL

In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.	<ul> <li>Most important symptoms and effects, both acute and delayed: Asthma attacks Breathing difficulty Coughing Allergic reactions Gastric or intestinal disorders when ingested. Irritant to skin and mucous membranes. Strong irritant with the danger of severe eye injury. May cause respiratory irritation. </li> <li>Danger of impaired breathing.</li> <li>Danger of gastric perforation.</li> <li>Causes serious eye damage.</li> <li>Harmful if swallowed.</li> <li>Indication of any immediate medical attention and special treatment needed: Severe allergic skin reaction, bronchial spasms and anaphylactic shock are possible. Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. Contains dipotassium peroxodisulphate. May produce an allergic reaction. In cases of irritation to the lungs, initial treatment with cortical steroid inhalants.</li></ul>	(Cont'd. of page 3)
---	---	---------------------

## **5** Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- <sup>•</sup> Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information: Cool endangered receptacles with water in flooding quantites.

## 6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures: Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Isolate area and prevent access.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Inform respective authorities in case of seepage into water course or sewage system.
 Methods and material for containment and cleaning up: Pick up mechanically. Send for recovery or disposal in suitable receptacles.

## AP

## Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 03/08/2016

Revision: 03/08/2016

Trade name: E-Z POOL

(Cont'd. of page 4)

## <sup>•</sup> Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

## <sup>.</sup> Handling

## Precautions for safe handling: Prevent formation of dust. Any deposit of dust which cannot be avoided must be regularly removed. Use only in well ventilated areas. Information about protection against explosions and fires: Keep respiratory protective device available. Keep/Store away from clothing/combustible materials. Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

- Protect from humidity and water.
- Use only receptacles specifically permitted for this substance/product.

Unsuitable material for receptacle: aluminium.

**Information about storage in one common storage facility:** Store away from foodstuffs.

Store away from flammable substances.

Do not store together with alkalis (caustic solutions).

- Store away from metals.
- Further information about storage conditions:
- Keep containers tightly sealed.
- This product is hygroscopic.

Specific end use(s): No relevant information available.

## 8 Exposure controls/personal protection

## · Control parameters

Components with limit values that require monitoring at the workplace:	
Trade Secret	
TLV (USA)	Long-term value: 0.1 mg/m <sup>3</sup> as Persulfates
EL (Canada)	Long-term value: 0.1 mg/m <sup>3</sup> as persulfate
EV (Canada)	Long-term value: 0.1 mg/m <sup>3</sup>
	(Cont'd. on page 6)

## AP


## Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 03/08/2016

Trade name: E-Z POOL

Revision: 03/08/2016

	(Cont'd. of page 5)
Trade Secret	
REL (USA)	Short-term value: 20 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup>
TLV (USA)	Short-term value: 20 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup>
EL (Canada)	Short-term value: 20 mg/m <sup>3</sup> Long-term value: 10 mg/m <sup>3</sup> fume
EV (Canada)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume
LMPE (Mexico)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³
Trade Secret	
EV (Canada)	Long-term value: 5 mg/m <sup>3</sup>
Trade Secret	
REL (USA)	Long-term value: 2 mg/m <sup>3</sup> as Al
TLV (USA)	Long-term value: 1* mg/m³ as Al;*as respirable fraction
General protec The usual preca Keep away from Immediately rem Wash hands be Do not breathe o Avoid contact wi Engineering co Take any preca Provide adequat Breathing equi Suitable respirat	ctive equipment: tive and hygienic measures: nutionary measures for handling chemicals should be followed. a foodstuffs, beverages and feed. hove all soiled and contaminated clothing. fore breaks and at the end of work. dust. ith the eyes and skin. phrols: ution to avoid mixing with combustibles. te ventilation. pment: tory protective device recommended. k should filter at least 99% of airborne particles.
Protecti	ive gloves
The glove mater	rial has to be impermeable and resistant to the product/ the substance/ the preparation.
Safety g	glasses



## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 03/08/2016

Trade name: E-Z POOL

(Cont'd. of page 6)

Revision: 03/08/2016

### · **Body protection:** Protective work clothing

## Limitation and supervision of exposure into the environment

No relevant information available.

9 Physical and chemical properties	
· Information on basic physical an	d chemical properties
· Appearance:	
Form:	Crystalline powder
Color:	White
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
<ul> <li>Melting point/Melting range:</li> </ul>	Not determined.
<ul> <li>Boiling point/Boiling range:</li> </ul>	Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Contact with combustible material may cause fire.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Not determined.
· Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
<ul> <li>Oxidizing properties:</li> </ul>	Oxidizer
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	2.48 g/cm³ (20.696 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not applicable.
· Evaporation rate:	Not applicable.
<ul> <li>Solubility in / Miscibility with</li> </ul>	
Water:	Soluble.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
<sup>•</sup> Other information	No relevant information available.

(Cont'd. on page 8)





Printing date: 03/08/2016

Revision: 03/08/2016

Trade name: E-Z POOL

(Cont'd. of page 7)

· F	Reactivity: No relevant information available.
٠C	Chemical stability:
٠T	hermal decomposition / conditions to be avoided:
Ν	lo decomposition if used and stored according to specifications.
٢F	Possibility of hazardous reactions:
F	Reacts with humid air.
F	Reacts with strong alkali.
	Reacts with strong acids.
	Reacts with water.
	Reacts with powdered metals.
	Reacts with metals forming hydrogen.
	Reacts with organic materials.
	oxic fumes may be released if heated above the decomposition point.
	s the product is supplied it is not capable of dust explosion; however enrichment with fine dust caus
	sk of dust explosion.
	Conditions to avoid:
	xcessive heat.
	loisture.
	ncompatible materials: No relevant information available.
٠ŀ	lazardous decomposition products:
	Carbon monoxide and carbon dioxide
	Sulfur oxides (SOx)
	Chlorine compounds

## · Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

Trade Secret

Oral LD50 802 mg/kg (rat)

Trade Secret

Oral LD50 1650 mg/kg (rat)

Trade Secret

Oral LD50 300 mg/kg (rat)

Primary irritant effect:

· On the skin: Irritant to skin and mucous membranes.

· On the eye: Strong irritant with the danger of severe eye injury.

• Sensitization: May cause sensitisation by inhalation and skin contact.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

(Cont'd. on page 9)



Printing date: 03/08/2016

Revision: 03/08/2016

Trade name: E-Z POOL

(Cont'd. of page 8)

## • NTP (National Toxicology Program):

None of the ingredients are listed.

### OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- Acute effects (acute toxicity, irritation and corrosivity): Harmful if swallowed.
- Repeated dose toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## **12 Ecological information**

<sup>·</sup> Toxicity

- · Aquatic toxicity Toxic for aquatic organisms
- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- **Mobility in soil:** No relevant information available.
- Ecotoxical effects:
- **Remark:** After neutralization a reduction of the harming action may be recognized
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Other adverse effects: No relevant information available.

## **13 Disposal considerations**

## · Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

## <sup>·</sup> Uncleaned packagings

 $\cdot$  **Recommendation:** Disposal must be made according to official regulations.

(Cont'd. on page 10)

Revision: 03/08/2016

Printing date: 03/08/2016

Trade name: E-Z POOL

• Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT	Not regulated
-	Not regulated. UN3077
ADR, IMDG, IATA	U10011
UN proper shipping name	
DOT	Not regulated.
ADR	3077 ENVIRONMENTALLY HAZARDO
	SUBSTANCE, SOLID, N.O.S. (COPPER SULPHATI
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTAN
1474	SOLID, N.O.S. (COPPER SULPHATE)
ΙΑΤΑ	Environmentally hazardous substance, solid, n.c
	(copper sulphate)
Transport hazard class(es)	
DOT	
Class	Not regulated.
ADR	
Class	9 (M7) Miscellaneous dangerous substances a
	articles
Label	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles
Label	9
Packing group	
DOT	Not regulated.
ADR, IMDG, IATA	III
Environmental hazards	
Marine pollutant:	Symbol (fish and tree)
· · · · · · · · · · · · · · · · · · ·	· · · ·
Special precautions for user	Warning: Miscellaneous dangerous substances a
Danger code (Kemler):	articles 90



(Cont'd. of page 9)

Printing date: 03/08/2016

Revision: 03/08/2016

Trade name: E-Z POOL

(Cont'd. of page		
· EMS Number:	F-A,S-F	
<sup>·</sup> Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
<ul> <li>Transport/Additional information:</li> </ul>	Not regulated when carried in single or combination packaging containing a net quantity of 5L or less for liquids or 5 kg or less for solids per the following: DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197	
· DOT		
· Remarks:	Transport labeling is not required for non-bulk sing package shipments by motor vehicle, rail car of aircraft. Bulk packaging consists of a maximu capacity of greater than 450L (119 gallons) for a liqu and a maximum net mass greater than 400kg (88 pounds) for a solid.	

<sup>·</sup> Safety, h mixture <sup>·</sup> United Sta · SARA	nealth and environmental regulations/legislation specific for the substance ates (USA)
· Section 30	02 (extremely hazardous substances):
None of the	e ingredients are listed.
· Section 30	04 (emergency release notification):
None of the	e ingredients are listed.
· Sections 3	311/312 (hazardous chemical threshold planning quantity in pounds):
None of the	e ingredients are listed.
· Section 35	55 (extremely hazardous substances):
None of the	e ingredients are listed.
· Section 31	13 (Specific toxic chemical listings):
	Trade Secret
· TSCA (To	xic Substances Control Act)
All ingredie	ents are listed.
•	on 65 (California)
	s known to cause cancer:
None of the	e ingredients are listed.
· Chemicals	s known to cause reproductive toxicity for females:
None of the	e ingredients are listed.



## Safety Data Sheet

acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 03/08/2016

Revision: 03/08/2016

Trade name: E-Z POOL

	(Cont'd. of page
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the ingredients are listed.	
Canadian substance listings	
Canadian Domestic Substances List (DSL):	
All ingredients are listed.	
Canadian Ingredient Disclosure list (limit 0.1%):	
None of the ingredients are listed.	
Canadian Ingredient Disclosure list (limit 1%):	
Trade Secret	
Trade Secret	
Trade Secret	

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## · Date of preparation / last revision 03/08/2016 / -

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Ox. Sol. 3: Oxidising Solids, Hazard Category 3 Met. Corr.1: Corrosive to metals, Hazard Category 1 Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

(Cont'd. on page 13)

Page: 13/13

Printing date: 03/08/2016

## Trade name: E-Z POOL

Revision: 03/08/2016

(Cont'd. of page 12)

Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 • **Sources** SDS Prepared by:

ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com